







MIC PRE DETAIL



LOW EQ DETAIL



HIGH AND MID EQ DETAIL



NEOTEK CORPORATION

SCALE:

APPROVED BY:

DRAWN BY IR

DATE:


KBJ

REVISED

INPUT MODULE EQ SECTION SHEET 20F2

SERIES IE PLUG-IN

DRAWING NUMBER 8206302



DRAWING NUMBER
8304221

INSERT "A" - LINE "B" ONLY
 INSERT "B" - PRE-FADE
 INSERT "C" - POST FADER


TRIMS -

1. "A" LEFT INPUT +14, -6
2. "A" RIGHT INPUT +14, -6
3. "B" LEFT INPUT +14, -6
4. "B" RIGHT INPUT +14, -6
5. R BALANCE ± 1.0 dB
6. L BALANCE ± 1.0 dB

NOTE:

ALL TRIMS ARE FACTORY
 ADJUSTED FOR UNITY GAIN

NEOTEK 480084-00 -
 SERIES 1 STEREO LINE INPUT



NOTE: THIS PCB IS DESIGNED FOR USE WITH THE NEOTEK 480084-00 - SERIES 1 STEREO LINE INPUT

Reduce To 1/4" x 1/4" at 3000X

8304072

NEOTEK CORPORATION CHICAGO, ILLINOIS

SCALE:

APPROVED BY:

DRAWN BY KBT

DATE: 4-22-83


REVISED

STEREO LINE INPUT - TRIMS & INSERTS


SHEET 3 of 3


DRAWING NUMBER

8305041




To Sub Master Module





ALL DIODES ARE 1N4148

NEOTEK CORPORATION		
SCALE:	APPROVED BY: KBJ	DRAWN BY IR
DATE:		REVISED
RECORDING MODULE		SHEET 1 OF 2
PLUG-IN SERIES I		DRAWING NUMBER 8210081



NEOTEK CORPORATION

SCALE:

APPROVED BY:

DRAWN BY IR

DATE:

KBT


REVISED

RECORDING MODULE

SHEET
2 OF 2


PLUG-IN SERIES I

DRAWING NUMBER
8210161



USE WITH SERIES I CONSOLES
HAVING SERIAL NUMBERS :
GREATER THAN 8212250

NEOTEK CORPORATION		
SCALE:	APPROVED BY:	DRAWN BY IR
DATE:	KBJ	REVISED
11 SEGMENT LED METER		
SERIES I		DRAWING NUMBER 82111211



PIN
NUMBER

CABLE COLOR

+ 18V BIPOLAR

RED

6

RED/BLACK

3

GROUND

BLACK

4

BLACK/WHITE

1

BLUE

- 18V BIPOLAR

BLUE/BLACK

+ 48V PHANTOM

WHITE

GROUND

WHITE/BLACK

+ 30V UNREGULATED

GREEN

GROUND

GREEN/BLACK

NEOTEK CORPORATION

SCALE:

APPROVED BY:

DRAWN BY R. HIGGINS

DATE:

REVISED

I POWER SUPPLY (USED ON PLUG-IN CONSOLES ONLY)

DRAWING NUMBER

8211122